EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(imag$3 and fil$3 and control$3 and (stor$3 or memor$3 or buffer) and (ID or identification) and magnificat$4 and radiograph$3 and contrast and raw and pitch and sampl$3 and siz$3 and (calculat$3 or comput$3 or measur$4) and (output$3 or display$3 or monitor$4 or screen$3) and radiation$3 and absorption and (detect$3 or read$3) and (part or portion) and set$3).CLM.	US-PGPUB	AND	ON	2007/08/07 13:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(imag$3 and fil$3 and control$3 and (stor$3 or memor$3 or buffer) and (ID or identification) and magnificat$4 and radiograph$3 and contrast and raw and pitch and sampl$3 and siz$3 and (calculat$3 or comput$3 or measur$4) and (output$3 or display$3 or monitor$4 or screen$3) and radiation$3 and absorption and (detect$3 or read$3) and (part or portion) and set$3).CLM.	US-PGPUB	AND	ON	2007/08/07 14:12
L2	12640	((382/128,129,130,131, 132,133,134) or (600/300) or (250/370.09,492.1) or (378/37) or (128/915,920, 922)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/07 14:12
L3	1207	2 and (imag$3 same fil$3 same control$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:19

L4	1098	3 and (stor$3 or memor$3 or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:20
L5	26	4 and (ID or identification near4 code) and magnificat$4 and radiograph$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:20
L6	26	5 and (calculat$3 or comput$3 or measur$4) and (output$3 or display$3 or monitor$4 or screen$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:21
L7	5	6 and ((detect$3 or read$3) near3 (sampl$3)) and (part or portion) and set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:21

L8	5	7 and radiation$3 and absorption	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:18
L9	5054	(imag$3 near3 fil$3 near3 control$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
L10	807	3 and ((stor$3 or memor$3 or buffer) near3 (imag$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
L11	26	10 and (ID or identification near4 code) and magnificat$4 and radiograph$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:22

L12	26	11 and (calculat$3 or comput$3 or measur$4) and (output$3 or display$3 or monitor$4 or screen$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:22
L13	5	12 and ((detect$3 or read$3) near3 (sampl$3)) and (part or portion) and set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
L14	9463	raw near3 imag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:35
L15	26	14 and (ID or identification near4 code) and magnificat$4 and radiograph$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:22

L16	26	15 and (calculat$3 or comput$3 or measur$4) and (output$3 or display$3 or monitor$4 or screen$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:24
L17	1	16 and sampl$3 near4 pitch$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
L18	4559	sampl$3 near4 pitch$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
L19	18	18 and (imag$3 near3 fil$3 near3 control$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23

L20	18	19 and ((stor$3 or memor$3 or buffer) near3 (imag$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
L21	9	20 and ((detect$3 or read$3) near3 (sampl$3)) and (part or portion) and set$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:23
L22	9	21 and (calculat$3 or comput$3 or measur$4) and (output$3 or display$3 or monitor$4 or screen$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:24
L23	1	22 and raw near3 imag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:34

L24	206	2 and ((convert$3 or conversion) near4 (power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:35
L25	5	24 and raw near3 imag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:36
L26	4	24 and resolv$3 near4 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:37

IEEE *Xplore*
RELEASE 2.4

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((imag* <and> fil* <and> control* <and> radiation <and> radiograph* <and&..."
Your search matched **1** of **1625854** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

» Search Options

<u>View Session History</u>

<u>New Search</u>

Modify Search

((imag* <and> fil* <and> control* <and> radiation <and> radiograph* <and> convert*   Search

☐ Check to search only within this results set

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Display Format: ⦿ Citation   ◯ Citation & Abstract

[view selected items]   <u>Select All</u> <u>Deselect All</u>

☐   1. **"Control" diagnostic X-ray apparatus with a digital image visualization sy**
Filatov, A.L.; Korjenevski, S.R.; Scherbinin, S.V.;
<u>High-Power Particle Beams, 1998. BEAMS '98. Proceedings of the 12th Intern
Conference on</u>
Volume 1, 7-12 June 1998 Page(s):495 - 498 vol.1
Digital Object Identifier 10.1109/BEAMS.1998.822487

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(276 KB)   IEEE CNF
<u>Rights and Permissions</u>

Help   Contact Us   Privacy & :

Indexed by
Inspec

IEEE Xplore

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((imag* <and> fil* <and> control* <and> radiation <and> radiograph* <and&..." ✉ e-mail
Your search matched **4** of **1625854** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

| ((imag* <and> fil* <and> control* <and> radiation <and> radiograph* <and> convert* | Search |

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◯ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

[view selected items]   **Select All Deselect All**

☐ 1. **Real-time flat-panel pixel imaging system and control for X-ray and neutr**
Chapuy, S.; Dimcovski, M.; Dimcovski, Z.; Lehmann, E.H.; Pachoud, M.; Valley F.R.; Vontobel, P.;
Nuclear Science, IEEE Transactions on
Volume 48, Issue 6, Dec. 2001 Page(s):2357 - 2364
Digital Object Identifier 10.1109/23.983268

AbstractPlus | References | Full Text: PDF(211 KB)   IEEE JNL
Rights and Permissions

☐ 2. **Neutron imaging using medical linacs**
Adani, N.; Fallone, B.G.;
Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd A
International Conference of the IEEE
Volume 4, 23-28 July 2000 Page(s):2457 - 2460 vol.4
Digital Object Identifier 10.1109/IEMBS.2000.901296

AbstractPlus | Full Text: PDF(444 KB)   IEEE CNF
Rights and Permissions

☐ 3. **"Control" diagnostic X-ray apparatus with a digital image visualization sy**
Filatov, A.L.; Korjenevski, S.R.; Scherbinin, S.V.;
High-Power Particle Beams, 1998. BEAMS '98. Proceedings of the 12th Intern
Conference on
Volume 1, 7-12 June 1998 Page(s):495 - 498 vol.1
Digital Object Identifier 10.1109/BEAMS.1998.822487

AbstractPlus | Full Text: PDF(276 KB)   IEEE CNF
Rights and Permissions

☐ 4. **The measurement of three dimensional dose distribution of a ruthenium-**
ophthalmological applicator using magnetic resonance imaging of BANG
Chan, M.F.; Fung, A.Y.C.; Yu-Chi Hu; Amols, H.; Zaider, M.; Abramson, D.;
Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd A
International Conference of the IEEE
Volume 4, 23-28 July 2000 Page(s):2431 - 2432 vol.4
Digital Object Identifier 10.1109/IEMBS.2000.901291

AbstractPlus | Full Text: PDF(152 KB)   IEEE CNF
Rights and Permissions

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = KURAHASHI
First Name = AKIRA

Application#	Patent#	Status	Date Filed	Title	Inventor Name
07015675	Not Issued	161	02/17/1987	PROCESSING METHOD FOR LOGIC PROGRAMMING LANGUAGE	KURAHASHI, AKIRA
07357737	5056116	150	05/26/1989	DATA DEMODULATION APPARATUS	KURAHASHI, AKIRA
07454501	5166914	150	12/21/1989	DATA RECORDING/REPRODUCING APPARATUS WITH TWO-DIMENSIONAL EQUALIZER FOR CROSSTALK CANCELLATION	KURAHASHI, AKIRA
07475943	5170384	250	02/06/1990	TRACKING CONTROL FOR OPTICAL INFORMATION RECORDING AND REPRODUCING APPARATUS	KURAHASHI, AKIRA
07531430	5057945	150	05/31/1990	SIGNAL RECORDING/REPRODUCING APPARATUS	KURAHASHI, AKIRA
07650804	5202870	150	02/06/1991	OPTICAL DISK RECORDING/REPRODUCING APPARATUS AND A PHOTOELECTRIC CONVERSION AMPLIFIER THEREFOR	KURAHASHI, AKIRA
07920094	5276665	250	07/24/1992	A MAGNETO-OPTICAL DISK RECORDING AND REPRODUCING APPARATUS CAPABLE OF REPRODUCING A PLURALITY OF DISK TYPES	KURAHASHI, AKIRA
08111401	5396426	150	08/25/1993	CONSTANT SPEED TRAVELING APPARATUS FOR VEHICLE WITH INTER-VEHICLE DISTANCE ADJUSTMENT FUNCTION	KURAHASHI, AKIRA
08162276	5510990	150	12/07/1993	SYSTEM FOR DISTINGUISHING	KURAHASHI,

				A VEHICLE TRAVELING AHEAD BASED ON AN ADJUSTABLE PROBABILITY DISTRIBUTION	AKIRA
08204180	5589930	150	02/25/1994	OPTICAL RADAR APPARATUS	KURAHASHI, AKIRA
08204572	5529139	150	03/02/1994	VEHICLE SPPED CONTROL SYSTEM	KURAHASHI, AKIRA
08503047	5742232	150	07/17/1995	GLASS BREAKING DETECTION DEVICE	KURAHASHI, AKIRA
08759956	5987066	150	12/03/1996	DIGITAL DATA TRANSMITTING METHOD	KURAHASHI, AKIRA
08813659	5796336	150	03/07/1997	GLASS BREAKAGE DETECTING DEVICE	KURAHASHI, AKIRA
09860641	6686992	150	05/21/2001	RAINDROP DETECTING METHOD AND APPARATUS HAVING TEMPERATURE-DEPENDENT CHARACTERISTIC COMPENSATION	KURAHASHI, AKIRA
10005844	6597007	150	12/07/2001	OPTICAL POSITION DETECTION DEVICE AND DISTANCE MEASUREMENT DEVICE	KURAHASHI, AKIRA
10319971	6847697	150	12/16/2002	MEDICAL IMAGE PROCESSING APPARATUS, MEDICAL IMAGE PROCESSING METHOD, PROGRAM AND A RECORDING MEDIUM THEREOF	KURAHASHI, AKIRA
10785530	Not Issued	71	02/23/2004	Image file control apparatus, a control method of the image file, and a recording medium	KURAHASHI, AKIRA
10785864	Not Issued	71	02/25/2004	DIGITAL DATA TRANSMITTING METHOD	KURAHASHI, AKIRA
11390784	Not Issued	30	03/28/2006	Image processing apparatus, image processing method and image processing program	KURAHASHI, AKIRA
11638659	Not Issued	41	12/14/2006	Digital data transmitting method	KURAHASHI, AKIRA
11638660	Not Issued	41	12/14/2006	Digital data transmitting method	KURAHASHI, AKIRA
11638661	Not Issued	41	12/14/2006	Digital data transmitting method	KURAHASHI, AKIRA

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
Kurahashi	Akira	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page